

Water Regulations Approval Scheme Limited (WRAS) hereby recognises:

Anhui Product Quality Supervision & Inspection Research Institute (National Centre for Inspection & Testing of Drainage Irrigation & Water-Saving Equipment Products Quality): AQI(CWI)

33 Tiandu Rd, Hefei Economic & Technical Development District,

Hefei, Anhui 230601, China

As a Certified Testing Laboratory.

Reports prepared by the laboratory in accordance with the policies and procedures agreed to by the laboratory in the Laboratory Agreement, for the tests detailed in the attached Scope of Recognition, will be accepted by WRAS as evidence to demonstrate compliance with the requirements of the Water Supply (Water Fittings) Regulations^{*}.

The most recent issue of the scope of recognition is available from the WRAS website: <u>https://www.wrasapprovals.co.uk/approvals/contact_details_of_laboratories/</u>.

This recognition is subject to continuing conformity with the WRAS Laboratory Recognition requirements.

Authorised by:

lan Hughes WRAS Approvals Manager

Date of Initial Recognition: 28th April 2025 Certificate issued: 10th July 2025



Testing to be performed at the above address only unless permitted by the Scope of Recognition. Any alteration of falsification of this certification may constitute grounds for delisting of the Laboratory. Reproduction of this certification, in whole or in part, for advertising purposes without the expressed written permission of WRAS is strictly prohibited.

*Water Supply (Water Fittings) Regulations 1999 (England & Wales), the Water Supply (Water Fittings) (Scotland) Byelaws 2014 and the Water Supply (Water Fittings) Regulations (Northern Ireland) 2009



Issue no: 2.0

SCOPE OF WRAS LABORATORY RECOGNITION

Laboratory Reference: CWI2409

Contact Name: Mr Zhen Yang

Issue Date: 10 July 2025

Contact details: yangzhen070815@126.com

Detail of Recognition:

The Laboratory has satisfactorily demonstrated its compliance to ISO/IEC 17025:2017 as referenced in clause 6.2 of ISO/IEC 17065:2012 and has been verified as capable of performing tests in the following categories:

| Products tested | Standard Reference / specification & Test Type | |
|------------------------------------|--|--|
| Water Fittings in contact with | Test Code sheets: | |
| wholesome water for the WRAS | 1111.1 | Closure |
| Approvals Product Scheme | 1111.5 | Leaktightness test |
| To demonstrate compliance with | 1111.6 | Closure at set outlet pressure |
| the requirements of the Water | 1111.7 | Closure - Diverter |
| Supply (Water Fittings) | 1112.1 | Porosity |
| Regulations 1999, the Water | 1112.4 | Porosity |
| Supply (water fittings) (Scotland) | 1112.5 | Porosity |
| Byelaws 2014, and the Water | 1112.6 | Porosity |
| Supply (Water Fittings) | 1113.1 | Joint effectiveness |
| Regulation (Northern Ireland) | 1113.2 | Joint effectiveness |
| 2009. | 1211.7 | Endurance |
| | 1212.3 | Accelerated ageing |
| | 1212.5 | Accelerated ageing |
| | 1212.6 | Accelerated ageing |
| | | Accelerated ageing |
| | 1312.2 | Deformation |
| | 1312.8 | Deformation |
| | 1312.9 | Deformation |
| | 1313.2 | Impact |
| | 1314.5 | Compression - front thrust test |
| | 1314.9 | Tension - (Resistance to pull-out of assembled joints – single pull) |
| | 1315.1 | Torque - operating mechanism |
| | 1315.2 | Torque - Connection and Disconnection |
| | 1315.4 | Torque - backnuts |
| | 1411.1 | Dezincification resistance |
| | 1412.1 | Corrosion protection |
| | 1511.2 | Flush Rate |
| | 1512.12 | Wash of bowl |
| | 1611.5 | Means for connection and disconnection |
| | 1611.8 | Visual inspection - seal to be readily renewable |



| | WATER REGULATIONS APPROVAL SCHEME |
|-----------|--|
| 1611.9 | Visual inspection - fixing of washer plate |
| 1611.10 | Visual inspection - means of operation |
| | Visual inspection - means of renewing seat and washer, or seal and washer, if so required |
| 1611.15 | Visual inspection, method of operation of dual flush cisterns |
| 1611.16 | Liquid contaminant, dye retention |
| 2111.1 | Effect upon water quality |
| 2111.3 | Effect upon water quality |
| 2114.2 | Opacity |
| 2211.2 | Contamination - vacuum when submerged |
| 2211.3 | Contamination - mixing of primary and secondary |
| 2212.4 | Contamination - antisiphonage test |
| 2212.6 | Vacuum test *5 |
| 2212.20 | Backflow prevention. Regulator's specification for WC suites |
| 2213.18 | Dimensional (AUK2 Airgap) |
| 2213.19 | Dimensional (AUK3 Airgap) |
| 3212.1 | WC flush volume and water seal depth |
| 5011.1 | Measurement of linear dimensions |
| 5011.6 | Water Seal depth |
| 5031.1 | Dimension - capacity |
| 6001.1 | Marking for identification |
| 4001.11 | Visual Inspection |
| Standards | |
| BS EN 20 | 00 Sanitary tapware. Single taps and combination taps for water supply systems of type 1 and type 2. General technical specification |
| BS 246 | Sanitary tapware — General specifications for aerators |
| BS EN 24 | 8 Sanitary tapware - General specification for electrodeposited coatings of Ni-Cr |
| BS EN 81 | 7 Sanitary tapware — Mechanical mixing valves (PN 10) — General technical specifications |
| BS EN 11 | 11 Sanitary Tapware - Thermostatic Mixing Valves (pn 10) - General Technical Specification |
| BS EN 11 | 12 Sanitary tapware. Shower outlets for sanitary tapware for water supply systems type 1 and type 2. General technical specification |
| BS EN 11 | 13 Sanitary tapware — Shower hoses for sanitary tapware for water supply systems of type 1 and type 2 |
| EN 13618 | Flexible hose assemblies in drinking water installations. Functional requirements and test methods |
| BS 15874 | • |
| ISO 2100 | 3 Multilayer piping systems for hot and cold water installations inside buildings |
| | |

END