

Water Regulations Approval Scheme Limited (WRAS) hereby recognises:

Kiwa Watertec

26a Rassau Industrial Estate,
Rassau, Ebbw Vale,
Gwent
NP23 5SD

As an Affiliated Testing Laboratory.

Reports prepared by the laboratory in accordance with the policies and procedures agreed to by the laboratory in the Laboratory Agreement, for the tests detailed in the attached Scope of Recognition, will be accepted by WRAS as evidence to demonstrate compliance with the requirements of the Water Supply (Water Fittings) Regulations\*.

This recognition is valid for four years from the date of recognition, unless otherwise suspended or withdrawn.

Date of Recognition: 6/10/2021

Authorised by:

Ian Hughes
WRAS Approvals Manager



Testing to be performed at the above address only unless permitted by the Scope of Recognition. Any alteration of falsification of this certification may constitute grounds for delisting of the Laboratory. Reproduction of this certification, in whole or in part, for advertising purposes without the expressed written permission of WRAS is strictly prohibited.

\*Water Supply (Water Fittings) Regulations 1999 (England & Wales), the Water Supply (Water Fittings) (Scotland) Byelaws 2014 and the Water Supply (Water Fittings) Regulations (Northern Ireland) 2009



## **SCOPE OF WRAS LABORATORY RECOGNITION**

Laboratory Reference: KW2109 Issue no: 3

Contact Name: David Jay Issue Date: 20/11/2024

Contact details: David.jay@kiwa.com

Testing Location: A - Kiwa Watertec, 26a Rassau Industrial Estate, Rassau, Ebbw Vale, Gwent NP23 5SD

B - Kiwa Cermet, Via Cadriano23, 40057 Granarolo dell'Emilia (BO), Italy

C - Kiwa Guangzhou, No. 46, Nanxiang, 3rd Road, Luogang District, Guangzhou, China

D - Kiwa Nederland B.V Wilmersdorf 50, 7327 AC, Apeldoorn, The Netherlands

## **Detail of Recognition**

The Laboratory has satisfactorily demonstrated its compliance to ISO/IEC 17025:2017 as referenced in clause 6.2 of ISO/IEC 17065:2012 and has been verified as capable of performing tests in the following categories:

Products tested	Standard Reference / specification & Test Type		Recognised Testing Location							
	Test Code Sheets:			С	D	Е	F			
Water Fittings in	1111.1 Closure	Х		Х						
contact with	1111.2 Closure	X								
wholesome water for	1111.3 Closure - Opening and reseating pressure test	Х								
the WRAS Approvals	1111.4 Closure - Temperature Conditions	X								
Product Scheme	1111.5 Leak tightness test	Х		Х						
	1111.6 Closure at set outlet pressure	Х								
To demonstrate	1111.7 Closure - Diverter	X		Х						
compliance with the	1111.8 Closure under high downstream pressure	X		Х						
requirements of the	1111.9 Pressure tightness under a low reverse pressure differential	X								
Water Supply (Water	1111.10 Pressure tightness under a high reverse pressure	Х								
Fittings) Regulations	1111.11 Closure under low downstream pressure	Х		Х						
1999, the Water Supply	1112.1 Porosity	Х	Χ	Х						
(water fittings)	1112.2 Porosity	X								
(Scotland) Byelaws	1112.7 Porosity	X								
2014, and the Water	1112.8 Porosity	X								
Supply (Water Fittings) Regulation (Northern Ireland) 2009.	1112.11 Porosity	X								
	1112.14 Porosity	X								
	1112.15 Body strength	X								
	1113.1 Joint effectiveness	X		Χ						
	1113.2 Joint effectiveness	X								
	1211.2 Endurance	X		Χ						
	1211.3 Endurance	X		Х						
	1211.4 Endurance	X								
	1211.5 Endurance test	X								
	1211.7 Endurance	Х		Х						
	1211.14 Endurance	Х		Х						
	1211.15 Flushing device physical endurance and leakage	Х								
	1211.16 Endurance	Х								



## **Detail of Recognition**

The Laboratory has satisfactorily demonstrated its compliance to ISO/IEC 17025:2017 as referenced in clause 6.2 of ISO/IEC 17065:2012 and has been verified as capable of performing tests in the following categories:

Products tested	Standard Reference / specification & Test Type			Recognised Testing Location						
	Test Code Sheets:	Α	В	С	D	Е	F			
	1211.17 Performance test of air bubble unvented hot water storage systems	Χ								
	1211.21 Endurance - remote/non-touch method of actuating the water supply	X		X						
	1212.1 Accelerated ageing	Χ								
	1212.6 Accelerated ageing		Х		Х					
	1212.10 Accelerated ageing		Χ		Χ					
	1311.1 Deflection	Χ								
	1311.3 Deflection prevention (inspection only)	Χ								
	1311.5 Deflection	Χ								
	1312.1 Deformation	Χ								
	1312.2 Deformation	Χ								
	1312.3 Bending strength	Χ								
	1312.7 Impact	Χ								
	1312.9 Deformation	Χ								
	1312.10 Impact	Χ								
	1313.4 Verification of valve not jamming	Χ								
	1313.7 High velocity test	Χ								
	1314.1 Tension - (Resistance to pull-out of assembled joints - single pull)	Χ			Χ					
	1314.7 Tension - (Resistance to pull-out of assembled joints - single pull)	Χ			Х					
	1314.8 Tension - (Resistance to pull-out of assembled joints - multiple pull)	Χ			Χ					
	1314.9 Tension - (Resistance to pull-out of assembled joints – single pull)				Х					
	1314.10 Tension - (Resistance to pull-out of assembled joints - single pull)				Х					
	1314.11 Tension - (Resistance to pull-out of assembled joints - single pull)				Х					
	1314.12 Tension - (Resistance to pull-out of assembled joints - single pull)				Х					
	1314.13 Tension - (Resistance to pull-out of assembled joints - single pull)				Х					
	1314.14 Tension - (Resistance to pull-out of assembled joints - single pull)				X					
	1314.15 Tension - (Resistance to pull-out of assembled joints - single pull)				Х					
	1315.1 Torque - operating mechanism	Χ		X						
	1315.2 Torque - Connection and Disconnection	Х		/ /						
	1315.4 Torque - backnuts	X		X						
	1315.6 Torque - backnuts	X		/ /						
	1411.3 Flushing device: chemical endurance	X								
	1412.1 Corrosion protection	Х		X						
	1512.8 Consumption	X								
	1611.1 Prevention of contamination - primary to secondary circuits	X								
	1611.2 Prevention of waste from frost damage	X								
	1611.5 Means for connection and disconnection	X		Х						
	1611.8 Visual inspection - seal to be readily renewable	X		^						
	1611.9 Visual inspection - Seal to be readily renewable  1611.9 Visual inspection - fixing of washer plate	X								



## **Detail of Recognition**

The Laboratory has satisfactorily demonstrated its compliance to ISO/IEC 17025:2017 as referenced in clause 6.2 of ISO/IEC 17065:2012 and has been verified as capable of performing tests in the following categories:

Products tested	Standard Reference / specification & Test Type			Recognised Testing Location							
		Test Code Sheets:	Α	В	С	D	Е	F			
	1611.10	Visual inspection - means of operation	Х								
		Visual inspection - means of renewing seat and washer, or seal and washer, if so required	X		Х						
	1611.14	Visual inspection - manually operated easing gear	Χ								
	2114.2	Opacity	Х								
	2211.1	Contamination Test	Х								
	2211.2	Contamination - vacuum when submerged	Χ								
	2211.3	Contamination - mixing of primary and secondary	Х								
	2211.11	Vacuum test tightness of the upstream check valve	Х								
	2212.3	Vacuum / Dimensional	Х								
	2212.4	Contamination – anti-siphonage test	Х								
	2212.6	Vacuum test	Х								
	2212.10	Dimensional - Air gap to drain	Х								
		Vacuum test without moving element	X								
		Vacuum test	X								
		Vacuum test	X								
		Backflow prevention. Regulator's specification for WC suites	X								
		Dimensional	Х								
	2213.3	Contamination - dimension of air vent - gas/water air space	Х								
		Contamination - air gap dimension	X								
	2213.5	Visual Inspection - compatibility of cartridge and housing dimensions, sealing etc	X								
		Visual inspection	Х		Х						
		Visual inspection - check valve operation	Х								
		Dimensional	Х								
	2213.14	Dimensional									
	2213.15	Dimensional	X								
	2213.16	Dimensional	Χ								
	2213.17	Dimensional	Χ								
	2213.18	Dimensional	Х		Χ						
	2213.19	Dimensional	Х		Χ						
	5011.1	Measurement of linear dimensions	Χ		Х						
	5011.6	Water Seal depth	Х								
	5021.3	Measurement of dimension	Χ								
	5031.1	Dimension - capacity	Х								
		Dimension - capacity	Χ								
		Marking for identification	Х		Х						

**END**